REVIEW ARTICLE



Application of Artificial Intelligence in Food Industry: A Review

Yiyi Wang^{1,*}

¹College of Light Industry Science and Engineering, Beijing Technology and Business University, Beijing 102488, China

Abstract

As people's living standards continue to rise, the food processing industry is facing many challenges such as improving production efficiency, ensuring food safety, and reducing processing costs. The emergence of artificial intelligence (AI) technology has brought new opportunities for this industry. This paper describes AI applications in food processing, especially focuses on machine learning (ML) and deep learning (DL) techniques. These techniques are used for grading and sorting of raw materials, production optimization during food processing, quality inspection, and food safety assurance. For example, ML algorithms can be combined with non-destructive testing techniques. This allows for the effective identification of adulterated meats. The implementation of AI not only improves production efficiency but also enhances food safety and quality control through real-time monitoring and rapid, non-destructive detection methods. Future developments in AI technologies are expected to further promote the sustainable development of the food processing industry by improving data quality, developing more interpretable models, and reducing costs.



Submitted: 27 January 2025 Accepted: 18 March 2025 Published: 16 May 2025

Vol. 2, **No.** 2, 2025. **1**0.62762/ASFP.2025.552607

*Corresponding author: ⊠ Yiyi Wang 2303020118@st.btbu.edu.cn **Keywords**: artificial intelligence, machine learning, deep learning, food processing.

1 Introduction

Food processing involves transforming various raw materials, including agricultural products, aquatic products, and livestock, into consumable formats. These formats can be directly consumed, cooked before consumption, or designed to align with human dietary preferences. The processed food industry's growth is closely tied to a nation's economic health and societal well-being [1]. As living standards escalate, consumer expectations regarding food safety and quality standards are likewise intensifying. To cater to this heightened demand for superior food quality, there is a pressing need to devise food analysis techniques that are precise, dependable, and non-destructive [2]. The food processing industry is faced with many challenges such as improving production efficiency, ensuring food safety, and reducing processing costs.

Advancements in technology have led to the emergence of AI technology. As a result, AI has been used in almost every industry, including pharmaceuticals, cosmetics and agriculture [3]. AI is a discipline within computer science, focusing on emulating, augmenting, and broadening human intelligence. It primarily consists of data, algorithms,

Citation

Wang, Y. (2025). Application of Artificial Intelligence in Food Industry: A Review. *Agricultural Science and Food Processing*, 2(2), 68–88.



© 2025 by the Author. Published by Institute of Central Computation and Knowledge. This is an open access article under the CC BY license (https://creati vecommons.org/licenses/by/4.0/). and computing power. AI can learn from data, make autonomous decisions, and self-optimize, thereby achieving the cognitive, learning, reasoning, and decision-making capabilities inherent in human intelligence [4]. The rise of AI technology has brought new opportunities for the food processing industry. Two primary branches of AI technology, ML and DL, are widely used. Their implementation can improve production efficiency, facilitate the detection of foreign objects to uphold food safety standards, and predict shelf life, which are poised to make substantial contributions to the continued progression of the food processing industry.

2 ML and DL

2.1 Machine Learning

ML aims to enable computers to acquire knowledge without explicit programming. It focuses on discovering algorithms capable of learning from and making predictions based on data, shifting away from a reliance on predefined programmatic directives. Therefore, ML algorithms are essentially data-driven [5]. By combining different traditional ML methods with various non-destructive testing techniques, various types of adulterated meats (such as pork, ground beef, and sausages) can be effectively detected [2].

ML includes three main paradigms: supervised learning, unsupervised learning, and reinforcement learning. Within the realm of supervised learning, distinct methodologies are employed for discrete and numerical data, namely classification and regression. In classification tasks, algorithms such as Support Vector Machines (SVM), Discriminant Analysis (DA), Naive Bayes (NB), and K-Nearest Neighbors (K-NN) are widely employed. Conversely, Generalized Linear Model (GLM), Support Vector Regression (SVR), Linear Regression (LR), Gaussian Process Regression (GPR), Ensemble methods, and Decision Tree (DT) can be used for regression [6]. With slight modifications, SVM, K-NN, and DT can serve dual purposes. Among these, SVM is a standout classification algorithm in supervised learning frameworks. Unlike other difference-finding techniques, SVM identifies similarities among samples, making it highly suitable for distinguishing high-quality foods from decaying or perishable ones [7]. For example, SVM can categorize bananas by analyzing their extracted feature vectors, which include attributes like color and texture. This allows for the classification of banana ripeness and the

detection of peel defects [7].

Unlike supervised learning, unsupervised learning does not require a training dataset. It includes algorithms like Fuzzy C-Means (FCM), K-Means, Fuzzy Logic (FL) systems, Expert systems, Swarm Intelligence algorithms, and Markov clustering [8, 9]. Expert systems utilize knowledge from various sources to solve complex problems. They are based on the principles and reasoning of human experts. They can imitate the decision-making abilities of human experts, making them powerful tools for decision-making [10].

2.2 Deep Learning

DL represents a ML technique using ANN. Its benefit is the enhanced ability to independently extract features from raw data. Employing DL improves classification accuracy and reduces error rates [11]. Currently, integrated DL with detection technologies or image processing is widely used as an effective method for assessing fruit quality, tackling problems such as classifying types, predicting nutrient levels, and determining infections or damages.

ANN is the basis for DL, enabling it to make choices or forecasts through the complex interplay For example, it can accurately of input data. predict the makeup and antioxidant traits of banana phenolic compounds [12], like the quality variation in spray-dried black [13], and it can also predict pomegranate oil extraction rates [14]. Multiple ANN types are employed, such as CNN, Recurrent Neural Network (RNN), Deconvolution Neural Network (DNN), Feed-forward Neural Networks (FNN), Modular Neural Network (MNN), Multilayer Perceptron Neural Network (MPNN), and Generative Adversarial Network (GAN) [15]. Among them, RNN is capable of processing sequence data. It has a memory function that captures long-term dependencies in sequences. CNN, a prevalent neural network type, is primarily employed for data processing involving lattice-like topol such as pictures. Pan et al. [16] crafted an advanced method for the multi-category categorization of food images via CNN. The introduction of a novel system named DeepFood was suggested, employing DL to derive detailed and impactful characteristics from a collection of food ingredient imagery, while also enhancing the overall precision of multi-class categorization through sophisticated ML technology. By employing CNN-based DL architecture and cost-effective computer vision modules, it is also possible to quickly detect defective apples on the

sorter [17]. In addition, Rauf et al. [18] suggested a DL structure grounded in the CNN methodology for fish species. In terms of identification and classification, the suggested CNN framework comprises 32 profound layers capable of deriving essential distinguishing characteristics from the images. It can be seen that CNN is widely applicable in the realm of food processing.

3 Application of AI in food

3.1 Grading and sorting of raw materials

In food processing, raw material grading and sorting are fundamental for maintaining product quality and production efficiency. AI technology's continuous evolution has significantly transformed this process. Figure 1 illustrates the diverse applications of AI in raw material grading and screening, ranging from automated classification to quality evaluation of various food items, including fruits, vegetables, meats, and grains. By integrating advanced image processing, sensor technologies, and data analysis algorithms, AI can swiftly and precisely identify visual attributes, maturity, nutritional value, and potential defects in food items, enabling efficient and accurate grading and sorting. These technologies not only improve production efficiency, but also enhance food processors with a more reliable means of quality control, laying a solid foundation for subsequent processing stages.



Figure 1. Application of AI in Grading and Sorting.

ML is also used to predict intramuscular fat content for meat classification and sorting. Traditional methods for detecting intramuscular fat content (IMF%) are accurate but involve lengthy preprocessing. Chen et al. [19] employed visual scores of marbling in loin muscle pictures and traditional meat quality traits as predictors to predict IMF% in pigs, utilizing computer vision methods and meat quality attributes. Compared to traditional techniques, the duration was significantly shortened. used partial least squares (PLS) and ML analysis methods. They measured 299 lamb loins using a near-infrared fiber-optic device. Excised samples were used for Soxhlet extraction to determine IMF content, and predictive models were developed using PLS or ML analysis. The predictive models' outcomes for IMF were comparable between the two analytical techniques and successfully predicted intramuscular fat levels in lamb muscle [20]. Robots [21] designed for sorting are capable of categorizing fruits according to their color and size. ML can also classify fruits based on their colour, shape, and so on. Phate et al. [22] proposed various SVM classifiers and a weighting model developed using Optimized Adaptive Neuro-Fuzzy Inference Systems (ANFIS) and the Computer Vision System (CVS), achieving automatic classification of sweet lemon fruits. The model is also highly reliable for estimating sweet lime weight. Kumar et al. [23] proposed a system using two SVM classifiers for automated evaluation and categorization of tomatoes. Tomatoes were classified in three stages. In the first stage, tomatoes are distinguished from other species. In the second phase, mature and immature tomatoes are categorized based on their color. Stage three identifies three varieties of anomalies: black spots, ulcers, and melanin. The system's efficacy was assessed based on its precision, exactness, perceptiveness, and precision indices. Comparative analysis with similar methods proved that the suggested system outperforms current ones in classifying and grading tomatoes.

DL, with its focus on multi-layer neural networks, finds broader application in the automated categorization and sorting of raw materials. Pan et al. [16] produced a new framework called DeepFood. First, deep feature extraction was performed using CNN-based transfer learning algorithm. Then, an algorithm for classifying multiple categories was employed. Assessment of the DeepFood framework on a diverse dataset revealed its enhanced capability in identifying ingredients, surpassing numerous existing studies in the domain. The process involves more than just employing DL for the extraction of diverse and efficient features from the food ingredient image dataset, but also by applying advanced ML techniques to improve the average accuracy of classification. DL is widely used for fruit classification, Bhat et al. [24] used DL techniques combined with DT to classify coconuts. Experimental findings indicate a 93% accuracy rate for DT and a 100% accuracy rate for the sophisticated DL model DenseNet. It shows that DL models such

as DenseNet perform better compared to traditional ML algorithms such as DT. Different industries use different types and parts of coconuts, so automatic classification of coconuts will help speed up the Albarrak et al. [25] utilized CNN for process. categorizing date fruits. They proposed a new model based on DL and CNN for date fruit classification. The suggested model undergoes training and validation procedures utilizing an internally curated dataset, which encompasses eight distinct varieties of date fruits prevalent in Saudi Arabia. For enhanced precision, the model employs various preprocessing methods, including attenuation learning rate, image enhancement, model checkpoints and hybrid weight adjustment. The model uses the trained MobileNetV2 architecture and the results show that the model attains an accuracy of 99%. This model also undergoes comparisons with other established models like AlexNet, ResNet, VGG16, and so on. The findings demonstrate the superiority of the suggested model over others in accuracy metrics. Momeny et al. [26] employed modified CNN algorithm for the precise identification and classification of cherry appearances. By integrating techniques of maximum pooling and average pooling, it is utilized to improve the ability of CNN generalization, which in turn enables the grading of cherries. The method is also compared with CNN and baseline pooling approaches. The findings reveal that the proposed CNN in the study outperforms the other methods, achieving an impressive accuracy rate of 99.4%. Thus, the application of CNNs in conjunction with image processing techniques offers a promising solution for assessing the export potential and marketability of cherry fruits, potentially serving as a viable alternative to traditional cherry grading methodologies. Hu et al. [27] developed a device for identifying and classifying apples in the field through the DL framework. Utilizing machine vision and various techniques, they developed detection algorithms to distinguish among four characteristics: apple size, color, shape, and surface imperfections. Subsequently, the four characteristics were merged, and SVM was employed to classify the field apples into three categories: first, second, and other-grade fruit. Field studies have demonstrated that, under conditions where the feeding interval for apples is maintained at under 1.5 seconds and the movement velocity does not surpass 0.5 meters per second, the resultant mean grading accuracy attains 94.12%. This level of accuracy fulfills the stringent criteria for on-site apple grading, indicating the efficacy of the adopted methodology. Except apple, CNN models in DL can

recognise most fruits, and distinguish those that have rotted from fresh fruits [28]. Motivated by a number of traditional CNNs, Xie et al. [29] introduced CarrotNet, a streamlined model leveraging machine vision and DCNN for the detection of defective carrots. The model, when evaluated on a test dataset, exhibited an impressive accuracy rate of 97.04%. These results underscore its potential application in real-time monitoring and grading of carrot external quality, thereby significantly enhancing operational efficiency and minimizing manual labor requirements. Jahanbakhshi et al. [30] employed a refined CNN algorithm for identifying noticeable flaws in sour lemon fruits, categorizing them based on these flaws. They compared the proposed model with algorithms such as KNN, SVM, DT and ANN classification. The findings indicate that CNN has 100% accuracy. Thus, it's evident that the CNN technique and image processing prove highly efficient in the classification of sour lemons. The use of DL extends far beyond the realm of fruits. For example, in nuts, Taner et al. [31] employed a CNN model for the categorization of hazelnut types. The precision of the suggested model reaches up to 98.63% in the test dataset comprising 510 images. This outcome suggests indicates that the suggested model can accurately classify hazelnut varieties to meet the need for non-destructive, fast, and reliable classification for commercial hazelnut production. In meat, CV methods combined with ANN enable real-time non-destructive monitoring. Taheri-Garavand et al. [32] employed a hybrid Artificial Bee Colony-ANN algorithm for selecting the optimal features after feature extraction from preprocessed fish images. Finally, SVM, K-NN and ANN algorithms which are commonly used methods were used to categorize the fish images. The ultimate findings indicate that the ANN classifier exhibits a strong capability in assessing the freshness of carp preserved in ice. This underscores the applicability of the ANN approach in such contexts. DL can be used to predict carcass cut yield, and the use of CNN in carcass segmentation can also be used for carcass grading to determine meat quality, Matthews et al. [33] trained DL models for forecasting carcass cut yields and assessed these predictions against more traditional ML techniques. Their findings revealed that while convolutional neural network (CNN) models could indeed predict carcass cut yield, the method using carcass sizes in the ML algorithm was slightly better in absolute terms [34] assuming a crucial position.

Table 1 illustrates the use of ML and DL for

categorizing and sorting other products. It can be asserted that the implementation of DL and ML has permeated almost all facets of the food sector, assuming a crucial position.

3.2 Food processing

In food processing, AI technology not only improves production efficiency but also significantly enhances food safety and quality assurance. Figure 2 illustrates the extensive applications of AI in food processing and production, ranging from parameter optimization to automated production. Through the integration of sophisticated sensing technologies and advanced image processing techniques, AI facilitates real-time monitoring and adjustment of production procedures. This ensures the preservation of essential nutrients in food products while concurrently enhancing production efficiency and elevating product quality standards.

3.2.1 Production

In the realm of food processing, AI plays a pivotal role in selecting appropriate processing parameters, tailored to the microbiological profile of the food items concerned [47]. AI technologies can also enhance pasteurization processes' efficiency and efficacy. Specifically, ML algorithms are employed to monitor product temperatures and heat treatment durations, thereby calculating the actual sterilization effect achieved. Subsequently, these algorithms adjust pasteurization temperatures and durations to ensure the elimination of harmful bacteria and pathogens, while simultaneously preserving the



Figure 2. Application of AI in food processing.

nutritional integrity of the food [48]. Samodro et al. [49] proposed a FL-driven temperature regulation mechanism specifically designed for coffee roasters. The system controls the temperature according to the required degree of roasting. To ensure precise temperature monitoring, a thermal imaging camera is strategically positioned within the roasting chamber to capture the real-time heat distribution of the roasting coffee beans. This camera is seamlessly integrated with a mixing apparatus that facilitates uniform heat distribution among the beans. Integrating this advanced system into the coffee roasting process

Products	Species	Туре	Results	Reference
Vegetable	Potatoe	DL and multispectral imaging	Detect and classify defects	[35]
	Bell pepper	ANN	ANN Automated sorting	
	Tomato	DL and CV	Detect external defects	[37]
	Citrus	CNN	Real-time sorting and weight grading	[38]
		DL and CV	Fast in-line sorting	[39]
	Mulberry	ANN and SVM	Classify the ripeness	[40]
	Apples	DL	Identify and classify the ripeness	[41]
		CV	Identify rotten apples from fresh ones	[42]
Other	Tea	SVM	Detect the tenderness grade and quality components	[43]
	Beverage	CNN	Classify	[44]
	Rice	CNN	Classify damaged rice	[45]
	Mushroom	CNN	Classify poisonous and edible mushrooms	[46]

Table 1. Application of AI in grading and sorting of raw materials.

consistently maintains the quality and aroma of the final coffee product at optimal levels. During the production of baked goods, AI can help automate some of these key steps, such as waking and rising and kneading [3]. AI technology can also greatly improve productivity and product quality in meat processing [4]. For example, in beef carcass cutting systems, sensors combined with computer-controlled cutting produce accurate carcass images. In waterjet automated skinning systems for fish fillets, computerized algorithms determine the optimal trimming pattern [50]. Ozturk et al. [51] combined ML with near-infrared spectroscopy (NIR) to classify food powders under motion conditions, preventing incorrect powder materials from reaching the production line. Their research endeavor involved a comparative analysis of two NIR sensors, each characterized by distinct wavelength ranges. These sensors were utilized to gather data, which was subsequently fed into an ML model tasked with classifying 25 distinct food powder materials. The results show that pre-processing using an autoencoder followed by SVM for all spectral wavelengths of the two sensors gives the most accurate results.

Employing sophisticated AI methods like ML and DL, combined with additive manufacturing techniques, facilitates swift, personalized production and superior quality production [52]. Silva Cotrim et al. [53] developed an approach to classify different phases of bread baking by observing color variations in bread. This approach utilizes a combined system (HS) integrating CNN and SVM. Studies show that the HS CNN-SVM system can independently pinpoint and categorize baking phases without human involvement, surpassing models dependent only on CNN. Moreover, the HS CNN-SVM diminishes the need for memory use and quicker convergence, rendering it ideal for both mobile and embedded systems. Lastly, the HS CNN-SVM maintains its ability to extract color map elements from CNN, facilitating the development of processing control systems in the food sector, especially those related to color discrepancies. ANN also have numerous applications in the field of food processing, including processes such as extraction, drying, filtration, canning, baking, and others. They have proven to be a valuable tool for predicting outcomes with a high degree of accuracy [15]. In the coffee industry, ANN can also be used to identify coffee berries, which can help coffee producers reduce the rate and instances of defects while increasing the quantity of the final product. Fuentes et al. [54]

Employed neural networks and artificial vision to recognize coffee fruits. The DL algorithm was trained using 196 images and was able to correctly classify in 41/42 tests with 97.6% efficiency. Nazari et al. [55] combined artificial neuro-fuzzy system with other algorithms. The proposed model predicted the effect of design parameters (including cooking panel location, bread cooking duration, and weather conditions) on the causal parameter (i.e., the desired temperature of the solar bread oven). They further investigated and developed a technique for making flat breads using a solar stove. Fabani et al. [56] developed an ANN model applied to the production of flour from watermelon pomace, specifically focusing on the dehydration/drying process. This model can help optimize the production process and potentially improve the quality and yield of the Sadhu et al. [57] integrated ANN with flour. differential evolution (DE) and simulated annealing (SA) algorithms to optimize cooking parameters for fried fish, with the aim of enhancing its nutritional composition. The experimental results showed that this two algorithms were effective in improving the nutritional parameters of fried fish, specifically the ω -3/ ω -6 and cis/trans-fatty acid ratios, by 33.18% and 79%, respectively. This experiment's AI modeling and the parameter adjustment technique, rooted in optimization principles, are adaptable for diverse food processing engineering studies, underscoring AI's extensive effectiveness in enhancing food production.

3.2.2 Forecast

Zhou et al. [58] explored peanut protein content prediction through ML modeling of spectral images and chemical measurements. This approach yielded greater predictive precision and reduced the time spent on fitting compared to conventional ML algorithm models, indicating that blending spectral imagination could be effective. Within the realm of tea studies, Wang et al. [59] merged NIR spectroscopy with in-house CV for forecasting the levels of tea polyphenols and catechins during the processing of black tea. Their research revealed that this combined spectroscopy and imaging approach improved the prediction precision for polyphenols, thereby surpassing previous challenges. Furthermore, both the indicator displacement array (IDA) and the SVM regression method are effective in precisely forecasting crucial tea polyphenol elements in the fermentation process [60].

CNN is capable of predicting fruit production. Behera et al. [61] enhanced the fruit detection efficiency of the

initial Faster R-CNN (FR-CNN) through adjustments to the joint intersection over union (IoU) metric. The revised IoU (MIoU) now focuses more on concurrent zones, tackling the shortcomings. Mu et al. [62] developed a tomato recognition system employing DL methods for autonomously spotting whole green tomatoes, no contingent on their shade or developmental phase. This tomato detection model identification model, integrating R-CNN and ResNet-101, showed impressive performance with a dataset, securing an average accuracy of 87.83% and high effectiveness in tomato counting. This indicates the method's applicability in both ripening and predicting yields. Zhang et al. [63] combined spectral imaging methods with deep convolutional generative adversarial networks (DCGAN) to estimate the oil composition of separate corn kernels. DCGAN was utilized to enhance spectral and oil content data at once. A pair of models, Partial Least Squares Regression (PLSR) and SVR, were developed to compare their efficacy pre and post data augmentation. The outcomes reveal that this approach not only boosts the efficiency of both models but also reduces the requirement for extensive training data. Simply put, it facilitates quick and non-invasive forecasting of the oil levels in single corn kernels, regardless of the significance level. Yang et al. [64] developed and tested a smart model using ANN to predict the levels of anthraquinones and antioxidant effects of co-fermentation products from a mix of two or three fungi. The researchers deployed back propagation (BP) and radial basis function (RBF) algorithms for this aim. After empirically assessing anthraquinone levels, it was found that the RBF ANN algorithm showed reduced average absolute and average bias errors relative to the BP ANN algorithm. This approach enhances the composition of mushrooms and betters their anthraquinone levels and antioxidant properties. ANN models are capable of accurately forecasting pH levels during cheese fermentation with just the right amount of data. Li et al. [65] integrated ANN with a mechanistic model to characterize the variances in biomass, lactose levels, and lactic acid They addressed the problem of concentrations. reduced process efficiency in cheese cultivation, a consequence of notable discrepancies in the final stages of various fermentation periods. The suggested hybrid model can precisely forecast pH levels during cheese fermentation with scant data. This study's results can foresee fermentation's conclusion and facilitate further planning, enhancing process efficiency.

3.2.3 Detection

Indeed, the role of AI technology is pivotal in regulating the quality of baked products, ensuring inspection accuracy and hygiene. Utilizing AI, producers are capable of autonomously verifying the dimensions, volume, and form of baked items, bypassing manual handling. This process not only improves output but also upholds superior hygiene and product quality during manufacturing [3]. Mavani et al. [66] demonstrated the potential of AI in the food industry by suggesting a fuzzy algorithm to calculate preservative levels in refined fruits. Their research compared this algorithm with the Takagi-Sugeno-Kang (TSK) approach, revealing that fuzzy logic surpassed TSK in these particular tasks. This indicates that fuzzy logic is a highly suitable technique for accurately determining the percentage of food preservatives. This accuracy is crucial for ensuring both the safety and quality of processed foods. In the case of meat items, blending ML and NIR-HSI offers a swift and non-harmful approach to assessing the level of lipid oxidation in lamb meat. Fan et al. [67] created PLSR and Least Squares Support Vector Machine (LSSVM) models to align entire spectra with the assessed values of thiobarbituric acid reactive substances (TBARS). The study's findings indicated that the refined LSSVM model, employing eigenbands chosen via the CARS, successfully forecasted the levels of TBARS. This implies the potential of NIR-HSI in a rapid and non-invasive measurement of lipid oxidation in mutton, thus confirming its practicality for use in these contexts. developed a detailed predictive model for tracking moisture variations in tea by merging machine vision with near-infrared to analyze the processing of green tea. The findings revealed that a blend of intermediate data fusion that integrates insights from machine vision and NIR can precisely identify moisture levels in this procedure. This approach is highly significant as it addresses the issue of low prediction accuracy associated with using a single sensor alone [68]. Wang et al. [69] combined SVM model with NIR, electronic eye and colorimetric sensing to assess leaf withering in black tea processing. They used a micro-spectrometer, custom machine vision, and colorimetric array to capture data. Comparing low-level and mid-level data fusion strategies, the SVM model combining all techniques performed best, with mid-level fusion outperforming low-level. The highest SVM model accuracy was 97.50%, demonstrating a cost-effective, non-destructive method for evaluating black tea wilting. While Jin et al. [70] combined the SVM model

with Fourier Transform Near Infrared Spectroscopy and CVS to achieve a rapid assessment of black tea fermentation. The study integrates the advantages of Fourier transform NIR and computerized visible spectroscopy through a mid-level fusion approach. The results obtained from this integrated method surpass those achieved using any single method alone for evaluating black tea fermentation. It is demonstrated that combining Fourier transform NIR and principal component analysis feature extraction, within a mid-level fusion strategy, provides an effective and swift means to assess the degree of black tea fermentation.

Based on DL, Jie et al. [71] developed a rapid and non-destructive technique for detecting citrus granulation. Their study constructed various models using preprocessed transmission spectra derived from hyperspectral imaging as input data. Among these models, the CNN demonstrated the highest training accuracy of 88.02%, outperforming both the Back Propagation Neural Network (BP-NN) and the Least Square Support Vector Machine (LS-SVM). Furthermore, after incorporating a batch normalization layer into the CNN, the experimental results revealed that the detection model achieved remarkable accuracies of 100% and 97.9% on the training and validation sets, respectively. Using hyperspectral transmittance images (HSTIs) and a DL-based fully convolutional network (FCN) approach, internal bruising in blueberries can be accurately detected even after mechanical damage. The outcomes of the tests reveal that using the DL technique, segments of bruises and calyx terminals (blueberry's stem) can be successfully isolated from the fruit within 30 minutes after damage, proving its proficiency in identifying internal blueberry bruises [72]. Zhao et al. [73] developed a methodology employing visible/near-infrared

spectroscopy (vis-NIR) and Artificial Neural Networks to measure bacterial levels in real-time throughout the kombucha fermentative procedure. The team formulated and refined three varieties of AI models: BP-ANN, Extreme Learning Machine ANN, and RBF-ANN models, which utilizes meta-heuristic algorithms specifically for this. After optimization, the ANN models were significantly improved, with RBF-ANN having the best results. The findings suggest that this online detection method can be effectively used to monitor the bacterial concentration in kombucha, providing a viable strategy for the real-time monitoring of specific indicators during food fermentation processes. Wang et al. [74] developed two intelligent models, PLSR and BP-ANN, for accurately detecting the oil absorption of French fries based on their surface features. The prediction set coefficients for both the PLSR and BP-ANN models exceeded 0.93, suggesting that the integration of surface characterization and chemometrics offers a swift and precise method for determining the oil content in French fries. And experiments show that CNN-based features show better performance than manual features or features extracted by ML algorithms, showing great potential. Liu et al. [75] combined CNN with NDT techniques and CVS to achieve effective and efficient detection and analysis of complex food matrices. They found that traditional ML algorithms relying on handcrafted features have limited capabilities and generally perform inferior to this combined approach.

In addition to the above, Table 2 showcases the application of ML and DL in various other products, demonstrating the widespread use of these technologies across different fields.

Products	Species	Туре	Results	Reference
Meat	Cod	ML	Predict liquid loss	
	Chicken sausages	CV	Predict meat traits	
	Pork	Pork ML and HSI Assess the content of monounsaturated and polyunsaturated fatty acid		[78]
	Salmon	CV	Detect residues	
		Machine vision-based neural network	Detect residual bone	[80]
Fruit	Mango	SVR	Predict the shelf life	[81]
Other	Coffee	ANN and EN	Predict quality and flavor	[82]
	Garlic	ANN	Predict optimal drying conditions	
	Raw milk	ML	Detect antibiotic residues	[84]

Table 2. Application of AI in food processing.

3.3 Ensure food safety and quality

The core concerns in the food processing sector are food safety and quality. AI technology offers strong support for food quality monitoring and safety testing via rapid, non-destructive detection methods. Figure 3 summarizes several AI applications in ensuring food safety and quality, including pathogen detection, food adulteration identification, and quality indicator prediction. These technologies can not only swiftly detect potential food safety hazards but also ensure food safety and superior quality throughout production, processing, and storage phases through real-time monitoring and preemptive alerts.



Figure 3. Application of AI in ensuring food safety and quality.

3.3.1 Safety testing

ML can utilize readily available data to predict food insecurity and issue early warnings [85]. By utilizing CVS and ML, physical contaminants in food (such as foreign objects or particles) can be identified, thus preventing contaminated food from entering the market and reaching consumers. Additionally, AI algorithms can analyze DNA and RNA sequences, enabling the accurate identification and classification of pathogens that cause foodborne illnesses. This is essential for ensuring food safety [86]. Wang et al. [87] effectively utilized ML to identify various food pathogens. They developed a cell-printed electrochemical impedance sensor capable of both qualitative and quantitative identification of three pathogens: Escherichia coli, Staphylococcus

aureus, and Vibrio parahaemolyticus. Scientists derived six distinct parameters from electrochemical impedance spectroscopy (EIS), forming a dataset that served as the key inputs for the ML model. They selected and refined the Random Forest (RF) algorithm to develop a bacterial classifier capable of recognizing and detecting three types of bacteria. Furthermore, by applying normalization-weighted concentration classification, they achieved highly accurate, efficient, and effective identification of samples from the original dataset, unattributable sources, and actual samples. This promising, simple, and direct detection approach is crucial for the quick identification and diagnosis of harmful bacteria in food safety applications. Du et al. [88] proposed an innovative technique for identifying and classifying foodborne pathogens. This method integrates Raman spectroscopy with Generative Adversarial Networks (GAN) and multi-class SVM. This approach addresses the issue of requiring numerous samples for training by using GAN to generate artificial data, thereby enhancing the training dataset.

The integration of GAN and SVM improves the precision of detection and classification. This integration offers an innovative approach to bacterial identification, enhancing food safety by streamlining and improving the precise recognition of foodborne pathogens [88]. Whole-cell biosensor arrays based on ML prediction models can accurately monitor mold contamination in foods. Ma et al. [89] created an innovative whole-cell biosensor array to track mold contamination in food sources. The optimal classifier identified through the comparison of six machine learning algorithms. Utilizing the RF classifier, they attained a perfect 100% accuracy rate in differentiating between healthful peanuts and corn. Moreover, distinguishing infected peanuts from corn prior to molding was 95% and 98% accurate, respectively. Sparse partial least squares decision analysis showed an 83% success rate in identifying moldy peanuts versus corn. Utilizing sparse partial least squares decision analysis, an 83% accuracy rate was recorded in differentiating moldy peanuts from moldy corn. The findings indicate that integrating the whole-cell biosensor array with an ML classifier results in superior precision and usability in managing food molds. Liu et al. [90] utilized MSI alongside diverse ML strategies to swiftly identify zearalenone (ZEN) in corn, employing a genetic algorithm and GA-BPNN to pinpoint wavelengths most closely linked with ZEN concentrations in corn. The GA-BPNN technique

attained a 93.33% accuracy rate in identifying levels of contamination in ZEN. The results imply that combining multispectral imaging with ML is an effective method for quick tracking of ZEN levels in maize, presenting a hopeful resource for the food safety sector. Jiang et al. [91] employed hyperpectral NIR in tandem with PLSR for identifying Pseudomonas spp. and Enterobacteriaceae, key agents in spoilage during the cold storage of chicken meat to swiftly evaluate the spoilage level. In their research, the spectra were pre-processed using a standard normal variate (SNV), Savitzky-Golay convolutional smoothing (SGCS), and multiplicative scattering correction (MSC), spanning a complete wavelength spectrum of 900-1700 nm. These pre-processed spectra were then correlated with the total counts of Pseudomonas spp. and Enterobacteriaceae bacteria (PEC) in fresh chicken breast meat, employing the PLS algorithm for swift forecasting. The outcomes showed that the MSC-PLS model, developed with spectra preprocessed through MSC, outperformed the PLS models developed using different spectra. The study concluded that using both NIR spectroscopy and the PLS algorithm for quick and harmless identification of PEC in chicken meat is efficient. Li et al. [92] engineered adaptable paper-based surface-enhanced Raman scattering (SERS) detectors to amplify the Raman emission of chloramphenicol from food specimens. Additionally, they crafted an AI-based prediction framework for the swift identification of chloramphenicol in food items. Within the array of AI instruments used, the multivariate scattering correction integrated adaptive weighted PLS model demonstrated superior predictive efficiency. The analysis of actual samples showed recovery rates between 90% and 102%, featuring a 3.3% RSD. This data suggests that the SERS sensor, in conjunction with the AI forecasting model, is rapid, consistent, and dependable in identifying chloramphenicol residues in food samples. In addition to rapid identification of pathogens, combining face recognition technology with ML methods can detect heavy metal mercury stress in tobacco plants [93].

DL has gained widespread application in food germ identification. Park et al. [94] utilized the automatic segmentation of foodborne bacteria in chicken rinses using DL and image processing techniques. This advanced technology offers accurate and robust automated segmentation, which facilitates the detection of pathogenic bacteria using FPI-HMI. Significantly, this method markedly decreases the

duration from raw hypercube capture to categorization by 15 seconds. It not only simplifies the identification process but also improves the efficiency of food safety surveillance. Identifying the proliferation of Aspergillus flavus in peanuts through ANN and SVM. Ziyaee et al.'s [95] research involved analyzing peanut seed images treated with Aspergillus flavus via three distinct ML instruments: SVM, ANN, and ANFIS. The findings revealed that ANN's precision in identifying fungal proliferation in peanuts carrying Aspergillus flavus infection post-72 hours reached 99.7% with a distinct color backdrop and lighting. ANFIS demonstrated an impressive 99.9% precision in identifying fungal proliferation on peanuts within a mere 48-hour period of Aspergillus flavus infection. The outcome unmistakably demonstrates the efficacy of ML methods in identifying the presence and proliferation of Aspergillus flavus in peanuts, establishing its importance in food safety and quality assurance. Gao et al. [96] developed a strategy utilizing HSI and 1D CNN-based for rapid and accurate analysis of aflatoxins in cereal crops, particularly peanuts and maize. Their research also involved an assessment of the 1D-CNN's efficacy against feature selection and various other techniques. The results indicated that neural networks significantly enhanced detection efficiency compared to feature selection. This study is of positive significance for pre-production detoxification in food processing and foreign trade enterprises. DL algorithms can also utilize metabolomics data to rapidly detect pathogenic and non-pathogenic microorganisms. Wang et al. [97] apply DL algorithms to achieve rapid detection of both pathogenic and non-pathogenic microorganisms through the utilization of metabolomics data. The study revealed that the ANN achieved an average accuracy of 99.2% in predicting unknown microorganisms in a controlled laboratory environment. When compared to other prevalent data analysis methods, such as the RF Model and SVM, the ANN consistently outperformed them, highlighting the substantial potential of deep learning in metabolomics data analysis. Kolosov et al. [98] used multispectral imaging and deep CNN to estimate microbial populations in meat samples. The DL models were run on an embedded platform and the researchers used different meat sample storage conditions and evaluated various DL models and embedded platforms. Experimental results indicate that the XavierNX platform excels in latency and throughput, whereas the Nano and RP4 platforms offer advantages in efficiency and

cost-effectiveness, respectively. DL is additionally applicable in identifying residues, as demonstrated by its integration with SERS and a 1D-CNN, enabling swift characterization of pesticide residues in tea. In relation to conventional identification techniques like SVM, PLS-DA, K-NN, and RF, the 1D-CNN approach showed enhanced precision, reliability, and sensitivity in identification. In summary, this innovative analytical method capitalizes on the advantages of SERS and the DL technique (1D CNN), offering a hopeful solution for quickly detecting pesticide remnants in field tea leaves [99]. Seo et al. [100] combined 1D-CNN, near-infrared HSI, and DL technology to carry out non-invasive identification of organic residues in vegetables. The outcomes of the experiments showed that the efficacy of the 1D-CNN method was superior to the validation precision realized by the SVM classifier. As a result, employing near-infrared imaging along with DL techniques offers possibilities for swift and harmless identification and categorization of organic matter in food processing sites. Sha et al. [101] employed SERS in conjunction with CNN for rapid identification of benzodiazepines (diazepam and midazolam). They trained the CNN for both qualitative and quantitative identification of these two drugs in water and beverage samples. The proposed method creates an intelligent identification model for SERS spectra, leveraging DL techniques. This model allows for a rapid and sensitive differentiation between the two benzodiazepine drugs. Salam et al. [102] developed three classification algorithms utilizing Linear Discriminant Analysis (LDA), SVM and ANN methods to detect immature seeds and foreign matter in chickpea mixtures. ANN and LDA outperformed SVM in terms of classification accuracy of detection. The image processing techniques developed in this study can be incorporated into vision-based real-time systems, and the newly devised algorithms are effective in identifying undesirable elements, such as foreign objects and ripe chickpea kernels, within chickpea mixtures.

3.3.2 Quality testing

ML can be effectively used for food quality monitoring. For example, Sánchez et al. [103] used ML techniques in conjunction with CVS to perform multivariate analysis of beef color variation and thus determine beef quality. By utilizing CVS to capture the beef slices' color, the researchers tested the predictive capabilities of three classifiers: DT, logistic regression, and multivariate normal distribution, in distinguishing

between fresh and non-fresh beef colors. The outcomes revealed that all three models demonstrated high accuracy. These findings emphasize the superiority of multivariate analysis in predicting beef color over the conventional method of analyzing each color channel independently. AI is indeed extensively utilized in the realm of tea quality inspection, often in conjunction with diverse techniques. Tang et al. [104] illustrate this by employing a combination of first-order derivative (FD), principal component analysis (PCA), and SVM to construct a discriminant model specifically designed for the recognition of tea leaf quality grades. In the training set, an outstanding 98.2% accuracy was achieved, and this impressive performance continued with a remarkable 98.2% in the test set. These findings clearly illustrate the effectiveness of the FD-PCA-SVM model in recognizing and presenting tea quality distinctions. Moreover, the research highlights the appropriateness of hyperspectral imaging technology in evaluating the quality of green tea. Ren et al. [105] employed near-infrared HSI and multiple DT methods in ML to accurately identify and grade the quality of black tea. Their study contrasted three unique supervised decision tree algorithms: fine, medium, and coarse. The findings indicated that the fine tree model, grounded in data fusion, exhibited the most superior predictive capabilities. During the prediction phase, this model demonstrated an impressive correct classification rate (CCR) of 93.13% when assessing black tea quality. The study highlights that combining human-computer interaction methodologies with intelligent algorithms constitutes a rapid and effective approach for precisely identifying the grade quality of black tea. Li et al. [106] conducted a study to both qualitatively and quantitatively evaluate the fermentation quality of black tea using HSI. Their research findings revealed that the developed model could successfully distinguish the degree of fermentation, achieving a correct classification rate of 83.33% for the prediction Moreover, the quantitative predictive model set. showcased exceptionally high accuracy in projecting catechin levels. This research conclusively illustrated the practicality of leveraging hyperspectral imaging for assessing the fermentation quality of black tea. Wang et al. [107] iemployed a NIR spectrometer connected to a smartphone for tea quality assessment. The primary objective was to forecast the catechin and caffeine concentrations in both green and black teas. The results of their study revealed that the model based on SNV preprocessing and SVR exhibited precise predictive performance for both catechins and caffeine.

They utilized different spectral preprocessing methods in tandem with both linear PLSR and nonlinear SVR to construct precise predictive models [108]. ML can also effectively deployed to swiftly and efficiently detect food adulteration, thereby ensuring the preservation of food quality. Pradana-López et al. [109] introduced an AI-based method for the quick detection of adulterated lentil flour in real-time scenarios. They formulated a mathematical model utilizing CNN and transfer learning, particularly employing the ResNet34 architecture, to discern samples of lentil flour that are tainted with minuscule amounts of pistachios (nuts) or wheat (gluten). Experimental results demonstrated the model's robust performance, showcasing an impressive 99.1% accuracy in misclassifying lentil flour samples that contained ground pistachios, and a 96.4% accuracy in inaccurately classifying samples with wheat flour. These findings underscore the model's efficacy and its prospective utility for two distinct cohorts: individuals diagnosed with celiac disease and those affected by nut allergies. Kalinichenko et al. [110] carried out a study aimed at evaluating the genuineness and identifying any adulteration in soy protein sausages. They integrated EN with chemometric techniques to detect and quantify soy proteins. In their research, they employed the attributes obtained from the EN as input data for refining PNN. Specifically, they extracted area values and maximum response values from the EN readings to serve as features for evaluating and comparing their effectiveness in differentiating between various sausage types. The findings of their study indicated that using the raw maximum response values as input vectors for the PNN resulted in a 100% classification reliability. This meant that the model was capable of accurately classifying all types of sausages without any misclassifications, effectively thwarting label fraud. AI can also be utilized for damage detection purposes. Yang et al. [111] employed an EN method combined with chemometrics to quickly and non-destructively assess if yellow peaches are compromised or intact. They compared various models using samples collected at different time points post-damage occurrence. Their findings revealed that within 24 hours of the peaches sustaining damage, the accuracy in identifying the damaged fruits reached 93.33%. This indicates that the EN has significant potential for detecting compression damage in yellow peaches. Munera et al. [112] found that HSI combined with ML, particularly the XGBoost classifier, demonstrates exceptional effectiveness in identifying typical defects in loquat fruits. Across three different

approaches—categorizing fruit pixels as sound or defective, distinguishing internal from external defects, and separately identifying specific defect types-the XGBoost classifier achieved success rates of 97.5%, 96.7%, and 95.9%, respectively. These results highlight the technique's capability to enhance the quality control of loquat fruit. Furthermore, the integration of HSI with PLSR models in ML has diverse applications. It can predict the robustness of intramuscular fat in lambs [113], nondestructively determine the inosinic acid (IMP) content of chicken [114], and detect the freshness of frozen meat in real-time without thawing it out [115]. These capabilities underscore the adaptability and promise of HSIs and ML techniques in the domain of food quality evaluation and management.

DL also has numerous applications in food quality testing. For example, An et al. [116] successfully applied CNN to detect the wilting humidity of black tea. TThey compared the prediction performance of the CNN model with traditional methods such as PLS and SVR. The results indicated that the CNN-based model, which leveraged confidence intervals for quantitative prediction of dead leaf moisture content, outperformed the conventional This demonstrates the power of DL in models. providing accurate and reliable predictions for food quality attributes, potentially leading to improvements in food safety and quality control. DL can facilitate the detection of quality attributes in roasted coffee beans, including the prediction of their roasting degree [117]. Thazin et al. [118] used EN and ANN to predict the acidity level of freshly roasted coffee. Their study incorporated an array comprising eight diverse semiconductor gas sensors, designed to analyze the aroma of the coffee. The EN was able to clearly categorize the acidity of roasted coffee at different roast levels with nearly identical scoring results to those obtained using artificial neural networks and manual scoring. The study shows that the e-nose has shown the ability to integrate with gourmet Rong et al. [119] used DL and machine robots. vision to perform rapid impurity detection of chocolate. The proposed DL method is simple and effective, which avoids manual feature extraction, not only overcomes the aggregation phenomenon of foreign objects and impurities in the image, but also adapts to the interference caused by wear and tear damages on the surface of the drive belt, and avoids detection errors in the actual factory environment. The outcomes of the experimental analysis indicate that the proposed

Products	Species	Туре	Results	Reference
Meat	Donk	ML and HSI	Identify jaw meat adulteration	[121]
	TOIK	HSI and PLSR	Detect homologous fats	[122]
	Fish fillets	HSI and DL	Predict total volatile basic nitrogen content	[123]
Vegetable	Oilseed rape leaves	DL and fluorescence hyperspectral Detect heavy metal lead (Pb) con		[124]
Cereals	Corn ML and HSI Detect aflatoxin		Detect aflatoxin	[125]
Other		SERS	SERS Detect pesticide residues in tea leaves	
		CNN and PLS and ELM Detect thiram and pymetrozine		[127]
	Tea	SVM and PLS and NIR Assesse tea quality		[128]
		CVS	Evaluate the quality	[129]
		SVM and MV and HSI Assesse quality		[130]
	Wolfberry	ANN and GA and RSM	Determine pesticide residues	[131]
	Mayonnaise	ML and CV	Quickly screen the quality	[132]
	Coffee	EN and ANN	Predict the quality and flavor	[82]
	Nut	HSI and DL	Assess quality	[133]
		CNN	Detect and quantify adulteration	[134]
	Olive oli	SERS and LSTM Detect phthalates in olive oil		[135]
	Sea cucumbers	SVM and HSI	Detect adulteration of salty sea cucumbers	[136]

Table 3. Application of AI in grading and sorting of raw materials.

methodology achieves a high degree of accuracy in segmenting object regions, with a success rate of 99.4% in the test images. Furthermore, it demonstrates robust performance in classifying foreign objects, correctly identifying 96.5% of them in the verification images. Notably, the methodology achieves perfect detection accuracy, with a 100.0% success rate in the test images. These results suggest that the proposed approach holds promise for applications requiring rapid and precise detection of impurities in chocolate products. Kong et al. [120] explored the detection of adulteration in marine fish meal using a combination of near-red light hyperspectral imaging and CNN. Their objective was to quantitatively identify adulterated feather meal and fish by-product meal within the fish meal samples. Additionally, the researchers compared the PLS and SVM models with the proposed CNN model. The comprehensive analysis unveiled that the CNN model outperforms both PLS and SVM in terms of classification and regression tasks. Specifically, the CNN achieves an outstanding accuracy of 99.37% across six classifications. This pioneering integration of NIR imaging and CNN calibration presents a groundbreaking approach to detecting fish meal adulteration with low-cost processed animal proteins, notably fish by-product meal.

80

Additional examples of ML and DL applications used to ensure the quality and safety of food products are shown in Table 3.

4 Conclusion

This review paper has provided a comprehensive overview of the diverse applications of AI, particularly ML and DL, within the food processing sector. By automating raw material grading and sorting, these technologies have enabled more efficient and accurate classification of various food items. In production, AI can optimizes parameters, enhancing food safety and preserving nutritional value. Additionally, the ability of AI to predict and forecast parameters like shelf life, nutrient content, and quality changes has empowered food manufacturers to make informed decisions. Moreover, AI-based detection methods provide rapid and non-invasive ways to evaluate food quality and safety. However, it must be acknowledged that the application of AI in the food industry also has certain limitations. The primary challenge is the difficulty and high cost of acquiring high-quality data. The complexity of the industry leads to time-consuming data collection, and unethical data collection also involves privacy and security issues. Incomplete or inaccurate data can cause model bias and incorrect

Abbreviation	Full name	Abbreviation	Full name
AI	Artificial intelligence	CNN	Convolutional neural network
ML	Machine learning	NIR	Near-infrared
DL	Deep learning	DE	Differential evolution
SVM	Support vector machine	SA	Simulated annealing
DA	Discriminant analysis	IDA	Indicator displacement array
NB	Naive bayes	IoU	Intersection over union
K-NN	K-Nearest Neighbors	PLSR	Partial least squares regression
GLM	Generalized linear model	BP	Back propagation
SVR	Support vector regression	RBF	Radial basis function
LR	Linear regression	TSK	Takagi-Sugeno-Kang
GPR	Gaussian process regression	TBARS	Thiobarbituric acid reactive substances
DT	Decision tree	HSTLs	Hyperspectral transmittance images
FCM	Fuzzy C-means	FCN	Fully convolutional network
FL	Fuzzy logic	EIS	Electrochemical impedance spectroscopy
RNN	Recurrent neural network	RF	Random forest
DNN	Deconvolution neural network	GAN	Generative Adversarial Networks
FNN	Feed-forward neural network	SNV	Standard normal variate
MNN	Modular neural network	SGCS	Savitzky-Golay convolutional smoothing
MPNN	Multilayer perceptron neural network	MSC	Multiplicative scattering correction
GAN	Generative adversarial network	SERS	Surface-enhanced Raman scattering
IMF	Intramuscular fat content	LDA	Linear discriminant analysis
PLS	Partial least squares	FD	First-order derivative
CVS	Computer vision system	PCA	Principal component analysis

Table 4. Abbreviations and their corresponding full names appearing in the text.

predictions, potentially impacting quality and safety Data Availability Statement decisions.

In conclusion, although AI brings innovative opportunities for food processing, addressing its limitations is crucial. There is a need for continuous improvement of ML and DL algorithms to enhance data quality and manageability, research interpretable AI models, and reduce enterprise usage costs. Only in this way can the food industry better leverage AI to meet consumer needs and achieve sustainable development.

The abbreviations and their corresponding full names appearing in the text can be found in Table 4.

Data will be made available on request.

Funding

This work was supported without any funding.

Conflicts of Interest

The author declare no conflicts of interest.

Ethical Approval and Consent to Participate

Not applicable.

References

- Zhu, L., Spachos, P., Pensini, E., & Plataniotis, K. N. (2021). Deep learning and machine vision for food processing: A survey. *Current Research in Food Science*, 4, 233-249. [CrossRef]
- [2] Lin, Y., Ma, J., Wang, Q., & Sun, D. W. (2023). Applications of machine learning techniques for enhancing nondestructive food quality and safety detection. *Critical Reviews in Food Science and Nutrition*, 63(12), 1649-1669. [CrossRef]
- [3] Jadhav, H. B., Alaskar, K., Desai, V., Sane, A., Chaudhary, P., Annapure, U., ... & Nayik, G. A. (2024). Transformative impact: Artificial intelligence in the evolving landscape of processed food-a concise review focusing on some food processing sectors. *Food Control*, 110803. [CrossRef]
- [4] Wang, M., & Li, X. (2024). Application of artificial intelligence techniques in meat processing: A review. *Journal of Food Process Engineering*, 47(3), e14590. [CrossRef]
- [5] Thapa, A., Nishad, S., Biswas, D., & Roy, S. (2023). A comprehensive review on artificial intelligence assisted technologies in food industry. *Food Bioscience*, 103231. [CrossRef]
- [6] Hasan, M. S. (2017, December). An application of pre-trained CNN for image classification. In 2017 20th international conference of computer and information technology (ICCIT) (pp. 1-6). IEEE. [CrossRef]
- [7] Zhu, L., & Spachos, P. (2021). Support vector machine and YOLO for a mobile food grading system. *Internet of Things*, 13, 100359. [CrossRef]
- [8] Mullainathan, S., & Spiess, J. (2017). Machine learning: an applied econometric approach. *Journal* of Economic Perspectives, 31(2), 87-106. [CrossRef]
- [9] Usama, M., Qadir, J., Raza, A., Arif, H., Yau, K. L. A., Elkhatib, Y., ... & Al-Fuqaha, A. (2019). Unsupervised machine learning for networking: Techniques, applications and research challenges. *IEEE access*, 7, 65579-65615. [CrossRef]
- [10] Szturo, K., & Szczypiński, P. M. (2017, September). Ontology based expert system for barley grain classification. In 2017 Signal Processing: Algorithms, Architectures, Arrangements, and Applications (SPA) (pp. 360-364). IEEE. [CrossRef]
- [11] Nayak, J., Vakula, K., Dinesh, P., Naik, B., & Pelusi, D. (2020). Intelligent food processing: Journey from artificial neural network to deep learning. *Computer Science Review*, 38, 100297. [CrossRef]
- [12] Guiné, R. P., Barroca, M. J., Gonçalves, F. J., Alves, M., Oliveira, S., & Mendes, M. (2015). Artificial neural network modelling of the antioxidant activity and phenolic compounds of bananas submitted to different drying treatments. *Food Chemistry*, 168, 454-459. [CrossRef]

- [13] Fazaeli, M., Emam-Djomeh, Z., Omid, M., & Kalbasi-Ashtari, A. (2013). Prediction of the physicochemical properties of spray-dried black mulberry (Morus nigra) juice using artificial neural networks. *Food and Bioprocess Technology*, 6, 585-590. [CrossRef]
- [14] Sargolzaei, J., & Moghaddam, A. H. (2013). Predicting the yield of pomegranate oil from supercritical extraction using artificial neural networks and an adaptive-network-based fuzzy inference system. *Frontiers of Chemical Science and Engineering*, 7, 357-365. [CrossRef]
- [15] Bhagya Raj, G. V. S., & Dash, K. K. (2020). Comprehensive study on applications of artificial neural network in food process modeling. Critical Reviews in Food Science and Nutrition, 62(10), 2756–2783. [CrossRef]
- [16] Pan, L., Pouyanfar, S., Chen, H., Qin, J., & Chen, S. C. (2017, October). Deepfood: Automatic multi-class classification of food ingredients using deep learning. In 2017 IEEE 3rd international conference on collaboration and internet computing (CIC) (pp. 181-189). IEEE. [CrossRef]
- [17] Fan, S., Li, J., Zhang, Y., Tian, X., Wang, Q., He, X., ... & Huang, W. (2020). On line detection of defective apples using computer vision system combined with deep learning methods. *Journal of Food Engineering*, 286, 110102. [CrossRef]
- [18] Rauf, H. T., Lali, M. I. U., Zahoor, S., Shah, S. Z. H., Rehman, A. U., & Bukhari, S. A. C. (2019). Visual features based automated identification of fish species using deep convolutional neural networks. *Computers and electronics in agriculture*, 167, 105075. [CrossRef]
- [19] Chen, D., Wu, P., Wang, K., Wang, S., Ji, X., Shen, Q., ... & Tang, G. (2022). Combining computer vision score and conventional meat quality traits to estimate the intramuscular fat content using machine learning in pigs. *Meat Science*, 185, 108727. [CrossRef]
- [20] Fowler, S. M., Wheeler, D., Morris, S., Mortimer, S. I., & Hopkins, D. L. (2021). Partial least squares and machine learning for the prediction of intramuscular fat content of lamb loin. *Meat Science*, 177, 108505. [CrossRef]
- [21] Dewi, T., Risma, P., & Oktarina, Y. (2020). Fruit sorting robot based on color and size for an agricultural product packaging system. *Bulletin of Electrical Engineering and Informatics*, 9(4), 1438-1445. [CrossRef]
- [22] Phate, V. R., Malmathanraj, R., & Palanisamy, P. (2021). Classification and indirect weighing of sweet lime fruit through machine learning and meta-heuristic approach. *International Journal of Fruit Science*, *21*(1), 528-545. [CrossRef]
- [23] Kumar, S. D., Esakkirajan, S., Bama, S., &

Keerthiveena, B. (2020). A microcontroller based machine vision approach for tomato grading and sorting using SVM classifier. *Microprocessors and Microsystems*, *76*, 103090. [CrossRef]

- [24] Bhat, I., Umadevi, V., Jagadeesh, N., Bhat, S., & Shenoy, R. S. (2023, March). Tender Coconut Classification using Decision Tree and Deep Learning Technique. In 2023 10th International Conference on Signal Processing and Integrated Networks (SPIN) (pp. 395-398). IEEE. [CrossRef]
- [25] Albarrak, K., Gulzar, Y., Hamid, Y., Mehmood, A., & Soomro, A. B. (2022). A deep learning-based model for date fruit classification. *Sustainability*, 14(10), 6339. [CrossRef]
- [26] Momeny, M., Jahanbakhshi, A., Jafarnezhad, K., & Zhang, Y. D. (2020). Accurate classification of cherry fruit using deep CNN based on hybrid pooling approach. *Postharvest Biology and Technology*, 166, 111204. [CrossRef]
- [27] Hu, G., Zhang, E., Zhou, J., Zhao, J., Gao, Z., Sugirbay, A., ... & Chen, J. (2021). Infield apple detection and grading based on multi-feature fusion. *Horticulturae*, 7(9), 276. [CrossRef]
- [28] Chakraborty, S., Shamrat, F. J. M., Billah, M. M., Al Jubair, M., Alauddin, M., & Ranjan, R. (2021, June). Implementation of deep learning methods to identify rotten fruits. In 2021 5th international conference on trends in electronics and informatics (ICOEI) (pp. 1207-1212). IEEE. [CrossRef]
- [29] Xie, W., Wei, S., Zheng, Z., & Yang, D. (2021). A CNN-based lightweight ensemble model for detecting defective carrots. *Biosystems Engineering*, 208, 287-299. [CrossRef]
- [30] Jahanbakhshi, A., Momeny, M., Mahmoudi, M., & Zhang, Y. D. (2020). Classification of sour lemons based on apparent defects using stochastic pooling mechanism in deep convolutional neural networks. *Scientia Horticulturae*, 263, 109133. [CrossRef]
- [31] Taner, A., Öztekin, Y. B., & Duran, H. (2021). Performance analysis of deep learning CNN models for variety classification in hazelnut. *Sustainability*, 13(12), 6527. [CrossRef]
- [32] Taheri-Garavand, A., Fatahi, S., Banan, A., & Makino, Y. (2019). Real-time nondestructive monitoring of Common Carp Fish freshness using robust vision-based intelligent modeling approaches. *Computers and Electronics in Agriculture*, 159, 16-27. [CrossRef]
- [33] Matthews, D., Pabiou, T., Evans, R. D., Beder, C., & Daly, A. (2022). Predicting carcass cut yields in cattle from digital images using artificial intelligence. *Meat Science*, *184*, 108671. [CrossRef]
- [34] Gonçalves, D. N., de Moares Weber, V. A., Pistori, J. G. B., da Costa Gomes, R., de Araujo, A. V., Pereira, M. F., ... & Pistori, H. (2021).

Carcass image segmentation using CNN-based methods. *Information Processing in Agriculture*, 8(4), 560-572. [CrossRef]

- [35] Yang, Y., Liu, Z., Huang, M., Zhu, Q., & Zhao, X. (2023). Automatic detection of multi-type defects on potatoes using multispectral imaging combined with a deep learning model. *Journal of Food Engineering*, 336, 111213. [CrossRef]
- [36] Mohi-Alden, K., Omid, M., Firouz, M. S., & Nasiri, A. (2023). A machine vision-intelligent modelling based technique for in-line bell pepper sorting. *Information Processing in Agriculture*, 10(4), 491-503. [CrossRef]
- [37] Da Costa, A. Z., Figueroa, H. E., & Fracarolli, J. A. (2020). Computer vision based detection of external defects on tomatoes using deep learning. *Biosystems Engineering*, 190, 131-144. [CrossRef]
- [38] Chakraborty, S. K., Subeesh, A., Potdar, R., Chandel, N. S., Jat, D., Dubey, K., & Shelake, P. (2023). AI-enabled farm-friendly automatic machine for washing, image-based sorting, and weight grading of citrus fruits: Design optimization, performance evaluation, and ergonomic assessment. *Journal of Field Robotics*, 40(6), 1581-1602. [CrossRef]
- [39] Chen, Y., An, X., Gao, S., Li, S., & Kang, H. (2021). A deep learning-based vision system combining detection and tracking for fast on-line citrus sorting. *Frontiers in Plant Science*, 12, 622062. [CrossRef]
- [40] Azarmdel, H., Jahanbakhshi, A., Mohtasebi, S. S., & Muñoz, A. R. (2020). Evaluation of image processing technique as an expert system in mulberry fruit grading based on ripeness level using artificial neural networks (ANNs) and support vector machine (SVM). Postharvest Biology and Technology, 166, 111201. [CrossRef]
- [41] Xiao, B., Nguyen, M., & Yan, W. Q. (2021). Apple ripeness identification using deep learning. In Geometry and Vision: First International Symposium, ISGV 2021, Auckland, New Zealand, January 28-29, 2021, Revised Selected Papers 1 (pp. 53-67). Springer International Publishing. [CrossRef]
- [42] Roy, K., Chaudhuri, S. S., & Pramanik, S. (2021). Deep learning based real-time Industrial framework for rotten and fresh fruit detection using semantic segmentation. *Microsystem Technologies*, 27(9), 3365-3375. [CrossRef]
- [43] Dai, F., Shi, J., Yang, C., Li, Y., Zhao, Y., Liu, Z., ... & Dong, C. (2023). Detection of anthocyanin content in fresh Zijuan tea leaves based on hyperspectral imaging. *Food Control*, 152, 109839. [CrossRef]
- [44] Hafiz, R., Haque, M. R., Rakshit, A., & Uddin, M. S. (2022). Image-based soft drink type classification and dietary assessment system using deep convolutional neural network with transfer learning. *Journal of King Saud*

University-Computer and Information Sciences, 34(5), 1775-1784. [CrossRef]

- [45] Moses, K., Miglani, A., & Kankar, P. K. (2022). Deep CNN-based damage classification of milled rice grains using a high-magnification image dataset. *Computers and Electronics in Agriculture*, 195, 106811. [CrossRef]
- [46] Ketwongsa, W., Boonlue, S., & Kokaew, U. (2022). A new deep learning model for the classification of poisonous and edible mushrooms based on improved AlexNet convolutional neural network. *Applied Sciences*, 12(7), 3409. [CrossRef]
- [47] Nguyen, K. T., Medjaher, K., & Tran, D. T. (2023). A review of artificial intelligence methods for engineering prognostics and health management with implementation guidelines. *Artificial Intelligence Review*, 56(4), 3659-3709. [CrossRef]
- [48] Singh, P., Pandey, V. K., Singh, R., Negi, P., Maurya, S. N., & Rustagi, S. (2024). Substantial Enhancement of Overall Efficiency and Effectiveness of the Pasteurization and Packaging Process Using Artificial Intelligence in the Food Industry. *Food and Bioprocess Technology*, 1-16. [CrossRef]
- [49] Samodro, B., Mahesworo, B., Suparyanto, T., Atmaja, D. B. S., & Pardamean, B. (2020, February). Maintaining the quality and aroma of coffee with fuzzy logic coffee roasting machine. In *IOP Conference Series: Earth and Environmental Science* (Vol. 426, No. 1, p. 012148). IOP Publishing. [CrossRef]
- [50] Barbut, S. (2020). Meat industry 4.0: A distant future?. *Animal Frontiers*, 10(4), 38-47. [CrossRef]
- [51] Ozturk, S., Bowler, A., Rady, A., & Watson, N. J. (2023). Near-infrared spectroscopy and machine learning for classification of food powders during a continuous process. *Journal of Food Engineering*, 341, 111339. [CrossRef]
- [52] Yu, Q., Zhang, M., Mujumdar, A. S., & Li, J. (2024). AI-based additive manufacturing for future food: Potential applications, challenges and possible solutions. *Innovative Food Science & Emerging Technologies*, 103599. [CrossRef]
- [53] da Silva Cotrim, W., Felix, L. B., Minim, V. P. R., Campos, R. C., & Minim, L. A. (2021). Development of a hybrid system based on convolutional neural networks and support vector machines for recognition and tracking color changes in food during thermal processing. *Chemical Engineering Science*, 240, 116679. [CrossRef]
- [54] Fuentes, M. S., Zelaya, N. A. L., & Avila, J. L. O. (2020, April). Coffee fruit recognition using artificial vision and neural networks. In 2020 5th International Conference on Control and Robotics Engineering (ICCRE) (pp. 224-228). IEEE. [CrossRef]
- [55] Nazari, S., Karami, A., Bahiraei, M., Olfati, M., Goodarzi, M., & Khorasanizadeh, H. (2020). A

novel technique based on artificial intelligence for modeling the required temperature of a solar bread cooker equipped with concentrator through experimental data. *Food and Bioproducts Processing*, 123, 437-449. [CrossRef]

- [56] Fabani, M. P., Capossio, J. P., Román, M. C., Zhu, W., Rodriguez, R., & Mazza, G. (2021). Producing non-traditional flour from watermelon rind pomace: Artificial neural network (ANN) modeling of the drying process. *Journal of Environmental Management*, 281, 111915. [CrossRef]
- [57] Sadhu, T., Banerjee, I., Lahiri, S. K., & Chakrabarty, J. (2020). Modeling and optimization of cooking process parameters to improve the nutritional profile of fried fish by robust hybrid artificial intelligence approach. *Journal of Food Process Engineering*, 43(9), e13478. [CrossRef]
- [58] Zhou, M., Wang, L., Wu, H., Li, Q., Li, M., Zhang, Z., ... & Zou, Z. (2022). Machine learning modeling and prediction of peanut protein content based on spectral images and stoichiometry. *Lwt*, 169, 114015. [CrossRef]
- [59] Wang, Y., Li, L., Liu, Y., Cui, Q., Ning, J., & Zhang, Z. (2021). Enhanced quality monitoring during black tea processing by the fusion of NIRS and computer vision. *Journal of Food Engineering*, 304, 110599. [CrossRef]
- [60] Jia, H., Yuan, W., Ren, Z., Ning, J., Xu, Y. Q., Wang, Y., & Deng, W. W. (2023). Cost-effective and sensitive indicator-displacement array (IDA) assay for quality monitoring of black tea fermentation. *Food Chemistry*, 403, 134340. [CrossRef]
- [61] Behera, S. K., Rath, A. K., & Sethy, P. K. (2021). Fruits yield estimation using Faster R-CNN with MIoU. *Multimedia Tools and Applications*, 80(12), 19043-19056. [CrossRef]
- [62] Mu, Y., Chen, T. S., Ninomiya, S., & Guo, W. (2020). Intact detection of highly occluded immature tomatoes on plants using deep learning techniques. *Sensors*, 20(10), 2984. [CrossRef]
- [63] Zhang, L., Wang, Y., Wei, Y., & An, D. (2022). Near-infrared hyperspectral imaging technology combined with deep convolutional generative adversarial network to predict oil content of single maize kernel. *Food Chemistry*, 370, 131047. [CrossRef]
- [64] Yang, J., Huang, Y., Xu, H., Gu, D., Xu, F., Tang, J., ... & Yang, Y. (2020). Optimization of fungi co-fermentation for improving anthraquinone contents and antioxidant activity using artificial neural networks. *Food Chemistry*, 313, 126138. [CrossRef]
- [65] Li, B., Lin, Y., Yu, W., Wilson, D. I., & Young, B. R. (2021). Application of mechanistic modelling and machine learning for cream cheese fermentation pH prediction. *Journal of Chemical Technology* &

Biotechnology, 96(1), 125-133. [CrossRef]

- [66] Mavani, N. R., Lim, C. Y., Hashim, H., Rahman, N. A., & Ali, J. M. (2021). Fuzzy Mamdani based user-friendly interface for food preservatives determination. *Food and Bioproducts Processing*, 126, 282-292. [CrossRef]
- [67] Fan, N., Ma, X., Liu, G., Ban, J., Yuan, R., & Sun, Y. (2021). Rapid determination of TBARS content by hyperspectral imaging for evaluating lipid oxidation in mutton. *Journal of Food Composition and Analysis*, *103*, 104110. [CrossRef]
- [68] Liu, Z., Zhang, R., Yang, C., Hu, B., Luo, X., Li, Y., & Dong, C. (2022). Research on moisture content detection method during green tea processing based on machine vision and near-infrared spectroscopy technology. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 271, 120921. [CrossRef]
- [69] Wang, Y., Liu, Y., Cui, Q., Li, L., Ning, J., & Zhang, Z. (2021). Monitoring the withering condition of leaves during black tea processing via the fusion of electronic eye (E-eye), colorimetric sensing array (CSA), and micro-near-infrared spectroscopy (NIRS). *Journal of Food Engineering*, 300, 110534. [CrossRef]
- [70] Jin, G., Wang, Y., Li, L., Shen, S., Deng, W. W., Zhang, Z., & Ning, J. (2020). Intelligent evaluation of black tea fermentation degree by FT-NIR and computer vision based on data fusion strategy. *Lwt*, 125, 109216. [CrossRef]
- [71] Jie, D., Wu, S., Wang, P., Li, Y., Ye, D., & Wei, X. (2021). Research on Citrus grandis granulation determination based on hyperspectral imaging through deep learning. *Food Analytical Methods*, 14, 280-289. [CrossRef]
- [72] Zhang, M., Jiang, Y., Li, C., & Yang, F. (2020). Fully convolutional networks for blueberry bruising and calyx segmentation using hyperspectral transmittance imaging. *biosystems engineering*, 192, 159-175. [CrossRef]
- [73] Zhao, S., Jiao, T., Adade, S. Y. S. S., Wang, Z., Wu, X., Li, H., & Chen, Q. (2024). Based on vis-NIR combined with ANN for on-line detection of bacterial concentration during kombucha fermentation. *Food Bioscience*, 60, 104346. [CrossRef]
- [74] Wang, S., Zhao, S., Wang, N., Lu, Q., Zhao, H., Liu, Y., ... & Fan, L. (2024). Intelligence detection of oil absorption in French fries by surface profiles. *Food Research International*, *178*, 113906. [CrossRef]
- [75] Liu, Y., Pu, H., & Sun, D. W. (2021). Efficient extraction of deep image features using convolutional neural network (CNN) for applications in detecting and analysing complex food matrices. *Trends in Food Science* & *Technology*, 113, 193-204. [CrossRef]
- [76] Anderssen, K. E., Stormo, S. K., Skåra, T., Skjelvareid, M. H., & Heia, K. (2020). Predicting

liquid loss of frozen and thawed cod from hyperspectral imaging. *LWT*, *133*, 110093. [CrossRef]

- [77] Rahman, M. F., Hashem, M. A., Mustari, A., Goswami, P. K., Hasan, M. M., & Rahman, M. M. (2023). Predict the quality and safety of chicken sausage through computer vision technology. *Meat Research*, 3(1). [CrossRef]
- [78] Ma, J., & Sun, D. W. (2020). Prediction of monounsaturated and polyunsaturated fatty acids of various processed pork meats using improved hyperspectral imaging technique. *Food Chemistry*, 321, 126695. [CrossRef]
- [79] Feng, Y., Li, X., Zhang, Y., & xie, T. (2023). Detection of Atlantic salmon residues based on computer vision. *Journal of Food Engineering*, 358, 111658. [CrossRef]
- [80] xie, T., Li, X., Zhang, X., Hu, J., & Fang, Y. (2021). Detection of Atlantic salmon bone residues using machine vision technology. *Food Control*, 123, 107787. [CrossRef]
- [81] Dutta, J., Deshpande, P., & Rai, B. (2021). AI-based soft-sensor for shelf life prediction of 'Kesar'mango. SN Applied Sciences, 3(6), 657. [CrossRef]
- [82] Ullah, A., Liu, Y., Wang, Y., Gao, H., Wang, H., Zhang, J., & Li, G. (2022). E-Taste: Taste sensations and flavors based on tongue's electrical and thermal stimulation. *Sensors*, 22(13), 4976. [CrossRef]
- [83] El-Mesery, H. S., Qenawy, M., Li, J., El-Sharkawy, M., & Du, D. (2024). Predictive modeling of garlic quality in hybrid infrared-convective drying using artificial neural networks. *Food and Bioproducts Processing*, 145, 226-238. [CrossRef]
- [84] Gutiérrez, P., Godoy, S. E., Torres, S., Oyarzún, P., Sanhueza, I., Díaz-García, V., ... & Coelho, P. (2020). Improved antibiotic detection in raw milk using machine learning tools over the absorption spectra of a problem-specific nanobiosensor. *Sensors*, 20(16), 4552. [CrossRef]
- [85] Zhou, Y., Lentz, E., Michelson, H., Kim, C., & Baylis, K. (2022). Machine learning for food security: Principles for transparency and usability. *Applied Economic Perspectives and Policy*, 44(2), 893-910. [CrossRef]
- [86] Barthwal, R., Kathuria, D., Joshi, S., Kaler, R. S. S., & Singh, N. (2024). New trends in the development and application of artificial intelligence in food processing. *Innovative Food Science & Emerging Technologies*, 103600. [CrossRef]
- [87] Wang, C., Hao, T., Wang, Z., Lin, H., Wei, W., Hu, Y., ... & Guo, Z. (2023). Machine learning-assisted cell-imprinted electrochemical impedance sensor for qualitative and quantitative analysis of three bacteria. *Sensors and Actuators B: Chemical*, 384, 133672. [CrossRef]

- [88] Du, Y., Han, D., Liu, S., Sun, X., Ning, B., Han, T., ... & Gao, Z. (2022). Raman spectroscopy-based adversarial network combined with SVM for detection of foodborne pathogenic bacteria. *Talanta*, 237, 122901. [CrossRef]
- [89] Ma, J., Guan, Y., Xing, F., Eltzov, E., Wang, Y., Li, X., & Tai, B. (2023). Accurate and non-destructive monitoring of mold contamination in foodstuffs based on whole-cell biosensor array coupling with machine-learning prediction models. *Journal of Hazardous Materials*, 449, 131030. [CrossRef]
- [90] Liu, W., Deng, H., Shi, Y., Liu, C., & Zheng, L. (2022). Application of multispectral imaging combined with machine learning methods for rapid and non-destructive detection of zearalenone (ZEN) in maize. *Measurement*, 203, 111944. [CrossRef]
- [91] Jiang, S., He, H., Ma, H., Chen, F., Xu, B., Liu, H., ... & Zhao, S. (2021). Quick assessment of chicken spoilage based on hyperspectral NIR spectra combined with partial least squares regression. *International Journal of Agricultural and Biological Engineering*, 14(1), 243-250. [CrossRef]
- [92] Li, H., Geng, W., Hassan, M. M., Zuo, M., Wei, W., Wu, X., ... & Chen, Q. (2021). Rapid detection of chloramphenicol in food using SERS flexible sensor coupled artificial intelligent tools. *Food Control*, 128, 108186. [CrossRef]
- [93] Yu, K., Fang, S., & Zhao, Y. (2021). Heavy metal Hg stress detection in tobacco plant using hyperspectral sensing and data-driven machine learning methods. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 245, 118917. [CrossRef]
- [94] Park, B., Shin, T., Kang, R., Fong, A., McDonogh, B., & Yoon, S. C. (2023). Automated segmentation of foodborne bacteria from chicken rinse with hyperspectral microscope imaging and deep learning methods. *Computers and Electronics in Agriculture*, 208, 107802. [CrossRef]
- [95] Ziyaee, P., Farzand Ahmadi, V., Bazyar, P., & Cavallo, E. (2021). Comparison of different image processing methods for segregation of peanut (Arachis hypogaea L.) seeds infected by aflatoxin-producing fungi. *Agronomy*, 11(5), 873. [CrossRef]
- [96] Gao, J., Zhao, L., Li, J., Deng, L., Ni, J., & Han, Z. (2021). Aflatoxin rapid detection based on hyperspectral with 1D-convolution neural network in the pixel level. *Food Chemistry*, 360, 129968. [CrossRef]
- [97] Wang, D., Greenwood, P., & Klein, M. S. (2021). Deep learning for rapid identification of microbes using metabolomics profiles. *Metabolites*, *11*(12), 863. [CrossRef]
- [98] Kolosov, D., Fengou, L. C., Carstensen, J. M., Schultz, N., Nychas, G. J., & Mporas, I. (2023). Microbiological quality estimation of meat

using deep CNNs on embedded hardware systems. *Sensors*, 23(9), 4233. [CrossRef]

- [99] Zhu, J., Sharma, A. S., Xu, J., Xu, Y., Jiao, T., Ouyang, Q., ... & Chen, Q. (2021). Rapid on-site identification of pesticide residues in tea by one-dimensional convolutional neural network coupled with surface-enhanced Raman scattering. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 246, 118994. [CrossRef]
- [100] Seo, Y., Kim, G., Lim, J., Lee, A., Kim, B., Jang, J., ... & Kim, M. S. (2021). Non-destructive detection pilot study of vegetable organic residues using VNIR hyperspectral imaging and deep learning techniques. *Sensors*, 21(9), 2899. [CrossRef]
- [101] Sha, X., Fang, G., Cao, G., Li, S., Hasi, W., & Han, S. (2022). Qualitative and quantitative detection and identification of two benzodiazepines based on SERS and convolutional neural network technology. *Analyst*, 147(24), 5785-5795. [CrossRef]
- [102] Salam, S., Kheiralipour, K., & Jian, F. (2022). Detection of unripe kernels and foreign materials in chickpea mixtures using image processing. *Agriculture*, 12(7), 995. [CrossRef]
- [103] Sánchez, C. N., Orvañanos-Guerrero, M. T., Domínguez-Soberanes, J., & Álvarez-Cisneros, Y. M. (2023). Analysis of beef quality according to color changes using computer vision and white-box machine learning techniques. *Heliyon*, 9(7). [CrossRef]
- [104] Tang, Y., Wang, F., Zhao, X., Yang, G., Xu, B., Zhang, Y., ... & Li, L. (2023). A nondestructive method for determination of green tea quality by hyperspectral imaging. *Journal of Food Composition and Analysis*, 123, 105621. [CrossRef]
- [105] Ren, G., Wang, Y., Ning, J., & Zhang, Z. (2020). Using near-infrared hyperspectral imaging with multiple decision tree methods to delineate black tea quality. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 237, 118407. [CrossRef]
- [106] Li, L., Wang, Y., Cui, Q., Liu, Y., Ning, J., & Zhang, Z. (2022). Qualitative and quantitative quality evaluation of black tea fermentation through noncontact chemical imaging. *Journal of Food Composition and Analysis*, 106, 104300. [CrossRef]
- [107] Wang, Y. J., Li, T. H., Li, L. Q., Ning, J. M., & Zhang, Z. Z. (2020). Micro-NIR spectrometer for quality assessment of tea: Comparison of local and global models. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 237, 118403. [CrossRef]
- [108] Li, L., Wang, Y., Jin, S., Li, M., Chen, Q., Ning, J., & Zhang, Z. (2021). Evaluation of black tea by using smartphone imaging coupled with micro-near-infrared spectrometer. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 246, 118991. [CrossRef]
- [109] Pradana-López, S., Pérez-Calabuig, A. M., Otero,

L., Cancilla, J. C., & Torrecilla, J. S. (2022). Is my food safe?–AI-based classification of lentil flour samples with trace levels of gluten or nuts. *Food Chemistry*, *386*, 132832. [CrossRef]

- [110] Kalinichenko, A., & Arseniyeva, L. (2020). Electronic nose combined with chemometric approaches to assess authenticity and adulteration of sausages by soy protein. *Sensors and Actuators B: Chemical*, 303, 127250. [CrossRef]
- [111] Yang, X., Chen, J., Jia, L., Yu, W., Wang, D., Wei, W., ... & Wu, D. (2020). Rapid and non-destructive detection of compression damage of yellow peach using an electronic nose and chemometrics. *Sensors*, 20(7), 1866. [CrossRef]
- [112] Munera, S., Gómez-Sanchís, J., Aleixos, N., Vila-Francés, J., Colelli, G., Cubero, S., ... & Blasco, J. (2021). Discrimination of common defects in loquat fruit cv.'Algerie'using hyperspectral imaging and machine learning techniques. *Postharvest Biology and Technology*, 171, 111356. [CrossRef]
- [113] Hitchman, S., Loeffen, M. P. F., Reis, M. M., & Craigie, C. R. (2021). Robustness of hyperspectral imaging and PLSR model predictions of intramuscular fat in lamb M. longissimus lumborum across several flocks and years. *Meat Science*, 179, 108492. [CrossRef]
- [114] Wang, Y., He, H., Jiang, S., & Ma, H. (2022). Nondestructive determination of IMP content in chilled chicken based on hyperspectral data combined with chemometrics. *International Journal* of Agricultural and Biological Engineering, 15(1), 277-284. [CrossRef]
- [115] Zhuang, Q., Peng, Y., Yang, D., Wang, Y., Zhao, R., Chao, K., & Guo, Q. (2022). Detection of frozen pork freshness by fluorescence hyperspectral image. *Journal of Food Engineering*, 316, 110840. [CrossRef]
- [116] An, T., Yu, H., Yang, C., Liang, G., Chen, J., Hu, Z., ... & Dong, C. (2020). Black tea withering moisture detection method based on convolution neural network confidence. *Journal of Food Process Engineering*, 43(7), e13428. [CrossRef]
- [117] Hakim, M., Djatna, T., & Yuliasih, I. (2020, October). Deep learning for roasting coffee bean quality assessment using computer vision in mobile environment. In 2020 International Conference on Advanced Computer Science and Information Systems (ICACSIS) (pp. 363-370). IEEE. [CrossRef]
- [118] Thazin, Y., Pobkrut, T., & Kerdcharoen, T. (2018, January). Prediction of acidity levels of fresh roasted coffees using e-nose and artificial neural network. In 2018 10th International Conference on Knowledge and Smart Technology (KST) (pp. 210-215). IEEE. [CrossRef]
- [119] Rong, D., Wang, H., Xie, L., Ying, Y., & Zhang, Y. (2020). Impurity detection of juglans using

deep learning and machine vision. *Computers and Electronics in Agriculture*, 178, 105764. [CrossRef]

- [120] Kong, D., Shi, Y., Sun, D., Zhou, L., Zhang, W., Qiu, R., & He, Y. (2022). Hyperspectral imaging coupled with CNN: A powerful approach for quantitative identification of feather meal and fish by-product meal adulterated in marine fishmeal. *Microchemical Journal*, 180, 107517. [CrossRef]
- [121] Jiang, H., Cheng, F., & Shi, M. (2020). Rapid identification and visualization of jowl meat adulteration in pork using hyperspectral imaging. *Foods*, 9(2), 154. [CrossRef]
- [122] Jiang, H., Jiang, X., Ru, Y., Wang, J., Xu, L., & Zhou, H. (2020). Application of hyperspectral imaging for detecting and visualizing leaf lard adulteration in minced pork. *Infrared Physics & Technology*, 110, 103467. [CrossRef]
- [123] Moosavi-Nasab, M., Khoshnoudi-Nia, S., Azimifar, Z., & Kamyab, S. (2021). Evaluation of the total volatile basic nitrogen (TVB-N) content in fish fillets using hyperspectral imaging coupled with deep learning neural network and meta-analysis. *Scientific reports*, 11(1), 5094. [CrossRef]
- [124] Zhou, X., Zhao, C., Sun, J., Cao, Y., Yao, K., & Xu, M. (2023). A deep learning method for predicting lead content in oilseed rape leaves using fluorescence hyperspectral imaging. *Food Chemistry*, 409, 135251. [CrossRef]
- [125] Pu, H., Wei, Q., & Sun, D. W. (2023). Recent advances in muscle food safety evaluation: Hyperspectral imaging analyses and applications. *Critical Reviews in Food Science and Nutrition*, 63(10), 1297-1313. [CrossRef]
- [126] Cai, C., Zhou, F., Chu, R., Ye, H., Zhang, C., Shui, L., & Liu, Y. (2024). Rapid and sensitive in-situ detection of pesticide residues in real tea soup with optical fiber SERS probes. *Journal of Food Composition* and Analysis, 134, 106520. [CrossRef]
- [127] Li, H., Luo, X., Haruna, S. A., Zareef, M., Chen, Q., Ding, Z., & Yan, Y. (2023). Au-Ag OHCs-based SERS sensor coupled with deep learning CNN algorithm to quantify thiram and pymetrozine in tea. *Food Chemistry*, 428, 136798. [CrossRef]
- [128] Wang, Y., Li, M., Li, L., Ning, J., & Zhang, Z. (2021). Green analytical assay for the quality assessment of tea by using pocket-sized NIR spectrometer. *Food Chemistry*, 345, 128816. [CrossRef]
- [129] Ren, G., Gan, N., Song, Y., Ning, J., & Zhang, Z. (2021). Evaluating Congou black tea quality using a lab-made computer vision system coupled with morphological features and chemometrics. *Microchemical Journal*, 160, 105600. [CrossRef]
- [130] Li, L., Xie, S., Ning, J., Chen, Q., & Zhang, Z. (2019). Evaluating green tea quality based on multisensor

data fusion combining hyperspectral imaging and olfactory visualization systems. *Journal of the Science of Food and Agriculture*, 99(4), 1787-1794. [CrossRef]

- [131] Wei, Q., Lv, M., Wang, B., Sun, J., & Wang, D. (2023). A comparative study of optimized conditions of QuEChERS to determine the pesticide multiresidues in Lycium barbarum using response surface methodology and genetic algorithm-artificial neural network. *Journal of Food Composition and Analysis*, 120, 105356. [CrossRef]
- [132] Metri-Ojeda, J., Solana-Lavalle, G., Rosas-Romero, R., Palou, E., & Baigts-Allende, D. (2023). Rapid screening of mayonnaise quality using computer vision and machine learning. *Journal of Food Measurement and Characterization*, 17(3), 2792-2804. [CrossRef]
- [133] Han, Y., Liu, Z., Khoshelham, K., & Bai, S. H. (2021). Quality estimation of nuts using deep learning classification of hyperspectral imagery. *Computers* and Electronics in Agriculture, 180, 105868. [CrossRef]
- [134] Pradana-Lopez, S., Perez-Calabuig, A. M., Cancilla, J. C., Garcia-Rodriguez, Y., & Torrecilla, J. S. (2022). Convolutional capture of the expansion

of extra virgin olive oil droplets to quantify adulteration. *Food Chemistry*, 368, 130765. [CrossRef]

- [135] Wu, X., Du, Z., Ma, R., Zhang, X., Yang, D., Liu, H., & Zhang, Y. (2024). Qualitative and quantitative studies of phthalates in extra virgin olive oil (EVOO) by surface-enhanced Raman spectroscopy (SERS) combined with long short term memory (LSTM) neural network. *Food Chemistry*, 433, 137300. [CrossRef]
- [136] Zhang, X., Sun, J., Li, P., Zeng, F., & Wang, H. (2021). Hyperspectral detection of salted sea cucumber adulteration using different spectral preprocessing techniques and SVM method. *Lwt*, 152, 112295. [CrossRef]



Yiyi Wang studied at Beijing Technology and Business University, Beijing 102488, China. (Email: 2303020118@st.btbu.edu.cn)